

# **Material Safety Data Sheet**

# **Section 1: Product & Company Identification**

Product Name: NAPA/CRC® Disc Brake Quiet

Product Number (s): 091444, 091445

Manufactured By:

CRC Industries, Inc.

885 Louis Drive

Technical Assistance

Warminster, PA 18974

Www.crcindustries.com

General Information

Technical Assistance

(800) 521-3168

Customer Service

(800) 272-4620

24-Hr Emergency (CHEMTREC)

(800) 424-9300

## **Section 2: Hazards Identification**

## **Emergency Overview**

Appearance & Odor: Red paste, acrylic odor

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

#### **Potential Health Effects:**

EYE: Direct contact with material may cause mild irritation, redness and stinging.

SKIN: Prolonged or repeated contact may cause mild irritation and redness of the skin.

INHALATION: Inhalation of vapor or mist can cause irritation to the respiratory passages, headache,

and nausea.

INGESTION: Swallowing this material may cause gastrointestinal discomfort.

CHRONIC EFFECTS: None known

TARGET ORGANS: None

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 091444, 091445

# Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
Acrylic polymers	proprietary blend	55 – 65
Water	7732-18-5	35 – 45
Ethylene glycol	107-21-1	1 – 3
Pigments	2814-77-9 / 3468-63-1 / 2786-76-7	<1

#### **Section 4: First Aid Measures**

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician

if irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do not induce vomiting unless instructed by medical personnel. If victim is conscious, give

them a glass of water to drink. Consult a physician for further instructions.

*Note to Physicians*: Treat symptomatically.

# Section 5: Fire-Fighting Measures

<u>Flammable Properties</u>: As defined by OSHA, this product is not flammable.

Flash Point: None (TCC) Upper Explosive Limit: ND Autoignition Temperature: ND Lower Explosive Limit: ND

Suitable Extinguishing Media: As appropriate for surrounding fire.

Products of Combustion: Thermal decomposition may yield acrylic monomers.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed

containers cool and to knock down vapors which may result from product

decomposition.

# **Section 6: Accidental Release Measures**

Personal Precautions: Use personal protection recommended in Section 8.

Product Number (s): 091444, 091445

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush

into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Material can create slippery conditions. Ventilate

the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills.

Place used absorbents into proper waste containers.

# Section 7: Handling and Storage

Handling Procedures: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid breathing

vapors.

Storage Procedures: Store in a cool dry area out of direct sunlight. Keep containers closed when not in use.

Keep product from freezing. Product stability may be affected.

Aerosol Storage Level: NA

## **Section 8: Exposure Controls/Personal Protection**

## **Exposure Guidelines:**

	OS	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Acrylic polymers	NE	NE	NE	NE	NE		
Water	NE	NE	NE	NE	NE		
Ethylene glycol	NE	NE	NE	100 (c)	NE		mg/m <sup>3</sup>
Pigments	NE	NE	NE	NE	NE		
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow

applicable OSHA regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering

controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor and particulate cartridge. Use a

self-contained breathing apparatus in confined spaces and for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as neoprene or nitrile. Also, use full protective clothing if there

is prolonged or repeated contact of liquid with skin.

## **Section 9: Physical and Chemical Properties**

**Product Number (s): 091444, 091445** 

Physical State: Paste

Color: Red Odor: Acrylic

Specific Gravity: 1.042 Initial Boiling Point: > 200 F

Freezing Point: ND Vapor Pressure: ND

Vapor Density: ND (air = 1) Evaporation Rate: <1 (ether = 1)

Solubility: Dispersible in water

pH: NA

Volatile Organic Compounds: wt %: 0.7 q/L: 7.29 lbs./qal: 0.06

# Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Freezing temperatures

Incompatible Materials: None known

Hazardous Decomposition Products: Thermal decomposition may yield acrylic monomers.

Possibility of Hazardous Reactions: No

# **Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

#### **ACUTE EFFECTS**

Component	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Acrylic polymers	LD50	> 5000 mg/kg	Oral	Rat
Acrylic polymers	LD50	> 5000 mg/kg	Dermal	Rabbit

#### CHRONIC EFFECTS

Carcinogenicity:

<u>Component</u> <u>Result</u>

OSHA: None listed IARC: None listed NTP: None listed

Mutagenicity: No information available

Other: None

# **Section 12: Ecological Information**

**Product Number (s): 091444, 091445** 

Ecological studies have not been conducted for this product. The following information is available for

components of this product.

Ecotoxicity:

Persistence / Degradability:

Bioaccumulation / Accumulation:

Mobility in Environment:

No information available
No information available
No information available

# **Section 13: Disposal Considerations**

Disposal: This product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33)

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

## **Section 14: Transport Information**

Proper shipping description:

US DOT (ground): Not Regulated

Special Provisions: None

# **Section 15: Regulatory Information**

#### U.S. Federal

### Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: ethylene glycol (5000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

## Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No
Release of Pressure No
Acute Health Hazard No
Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting

requirements of Section 313 of Title III of the Superfund Amendments and

Reauthorization Act of 1986 and 40 CFR Part 372:

ethylene glycol (2%)

#### Clean Air Act:

**Product Number (s): 091444, 091445** 

Section 112 Hazardous Air Pollutants (HAPs): ethylene glycol

## **State Regulations**

## California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm:

D&C Orange #17 (3468-63-1); trace amounts of acrylonitrile, formaldehyde and ethyl acrylate may also be present

# State Right to Know:

New Jersey: 107-21-1

Pennsylvania: 107-21-1, 102-71-6

Massachusetts: 107-21-1

Rhode Island: 107-21-1, 102-71-6

Additional Regulatory Information: None

#### **Section 16: Other Information**

NFPA: Health: 1 Flammability: 0 Reactivity: 0

HMIS: Health: 1 Flammability: 0 Reactivity: 0 PPE: B

Prepared By: Michelle Rudnick

CRC #: 562A Revision Date: 12/13/2007

Changes since last revision: MSDS reformatted in accordance with ANSI Z400.1-2004

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service NA: Not Applicable Not Determined Parts per Million ND: ppm: Tag Closed Cup Not Established TCC: NE: Pensky-Martens Closed Cup PMCC: g/L: grams per Liter PPE: Personal Protection Equipment pounds per gallon lbs./gal:

TWA: Time Weighted Average STEL: Short Term Exposure Limit

OSHA: Occupational Safety and Health Administration

ACGIH American Conference of Governmental Industrial Hygienists

NIOSH National Institute of Occupational Safety & Health