

Manufacturer/ Supplier Betco Corporation

TSCA

DSL/ NDSL

1001 Brown Avenue Toledo, Oh 43607 (419) 241-2156

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

In Case of

Emergency

Chemtrec (800) 424-9300

Protective Clothing

		• •		
•		CLASS D-2B: Material causing other toxic effects (TOXIC)	HCS Class: I	rritating substance.
WHMIS (Pictogra	ms)	WHMIS (Classification)		HCS
Section 1. Che	emica	l Product and Company Identification		
Product Name/ Trade name		en Earth Prelude Floor Finish Sealer	Code	547
Synonym			CAS#	Mixture.
Chemical Family	Not av	/ailable.	Validation Date	12/10/2008
Chemical Formula	Not ap	oplicable.	Print Date	12/10/2008

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	LC50/LD50
Polymer Emulsion Diethylene Glycol Ethyl Ether	N/A 111-90-0	15-20 1 - 5	Not available. TWA: 25 ppm CEIL: 25 ppm	Not available. ORAL (LD50): Acute: 5540 mg/kg [Rat].
Tributoxyethyl Phosphate Oxidized Ethylene Copolymer	78-51-3 68441-17-8	1 - 5 0.1 - 5	Not available. Not available.	Not available. Not available.

TSCA Inventory: All components listed or are exempt from listing.

All components listed unless noted elsewhere on this MSDS

Section 3. Hazards Identification		
Potential Acute Health Effects	This product is an eye irritant.	
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may produce anesthetic or narcotic effects. May aggravate existing respiratory conditions such as asthma. This product may aggravate exisiting skin conditions such as dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. Fir	st Aid Measures
Eye Contact	Avoid contact with eyes In case of contact with eyes, rinse immediately with plenty of water. Seek medical attention.
Skin Contact	After contact with skin, wash immediately with plenty of water. Seek medical attention if irritation persists.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible.
Ingestion	Call a poison control center immediately for treatment advice. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

Section 5. Fire Fig	Section 5. Fire Fighting Measures	
Products of Combustion	carbon oxides (CO, CO2)	
Fire Fighting Media and Instructions	Use water spray or fog.	
Special Remarks on Fire Hazards	Not available.	
Special Remarks on Explosion Hazards	Not available.	

Section 6. Accidental Release Measures	
Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Do not allow any potentially contaminated water including rain water, runoff from fire fighting or spills to enter any waterway, sewer or drain. Prevent entry into sewers, basements or confined areas; dike if needed.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves.

Section 7. Handling and Storage		
Precautions	Avoid contact with skin and eyes	
Incompatibility	acids, oxidizing agents	
Storage	Store in an appropriate container. Keep out of the reach of children. Keep From Freezing	

Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.	
Personal Protection Eyes	s Safety glasses.	
Body	No special recommendations.	
Respiratory	Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s). Vapor respirator, with organic vapor cartridge.	
Hands	Gloves, Chemical resistant.	
Protective Clothing (Pictograms)		

(Pictograms)



Diethylene Glycol Ethyl Ether TWA: 25 CEIL: 25 (ppm) **Exposure Limits**

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties			
Physical State and Appearance	Liquid.	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
рН	7 to 8.5	Color	White.
Boiling/Condensation Point	100°C (212°F)		
Melting/Freezing Point	Not available.		

Critical Temperature	Not available.
Instability Temperature	Not available.
Specific Gravity	1.025 (Water = 1)
Vapor Pressure	Not available.
Vapor Density	Not available.
Volatility	>30% (w/w).
VOC	2(%)
Evaporation Rate	<1 compared to Water
Dispersion Properties	Not available.
Solubility	Not available.
The Product is:	May be combustible at high temperature.
Auto-ignition Temperature	Not available.
Flash Points	CLOSED CUP: >98.889°C (210°F).
Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Containers may explode when heated.

Section 10. Stability and Reactivity Data		
Stability	The product is stable.	
Incompatibility with Various Substances	acids, oxidizing agents	
Hazardous Decomposition Products	Thermal degredation may produce solvent vapors, oxides of carbon, sulfur, calcium and nitrogen.	

Section 11. Toxi	icological Information
Routes of Entry	Skin , Eyes, Ingestion, Inhalation.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Huma	ns
E	yes Moderately irritating to the eyes.
S	kin May cause irritation.
Inhalat	tion May cause headache, dizziness.
Ingest	Harmful if swallowed. May cause headache, dizziness, nausea, vomiting and diarrhea.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may produce anesthetic or narcotic effects. May aggravate existing respiratory conditions such as asthma. This product may aggravate exisiting skin conditions such as dermatitis.
Special Remarks on Toxicity to Animals	Not available.

Special Remarks on Chronic Effects on Humans

Not available.

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Not available.	
Toxicity of the Products of Not available. Biodegradation		
Special Remarks on the Products of Biodegradation	Not available.	

Section 13. Disposal Considerations Waste Information Waste Stream Waste Stream Waste Stream Waste Stream Waste Stream Waste Stream Waste Stream

Section 14. Transport Information DOT (U.S.A) (Pictograms) TDG Classification Not controlled under TDG (Canada). PIN UN, Proper Shipping Not applicable. Name, PG Maritime Transportation Not available. Special Provisions for Not applicable. Transport

		formation and Pictograms		
WHMIS (Classification)	CLASS D-2B: Material causing other toxic effects (TOXIC).		T	
Regulatory Lists	No products were found.			
Other Regulations	Not available			
Other Classifications	HCS (U.S.A.)	HCS Class: Irritating substance.		
	USA Regulatory Lists	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute:Acrylonitrile, Ethylbenzene.		

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: fire; SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether DSD (EEC) International No products were found. **Regulations Lists Hazardous Material** Health 1 National Fire Flammability **Information System 0** Protection **Flammability** (U.S.A.) Instability Health Association **Physical Hazard** (U.S.A.) The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE Specific Hazard MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 12/10/2008.

Verified by CRushton. Printed 12/10/2008.

Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607

Notice to Reade

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 12/10/2008.

Green Earth Prelude Floor Finish and Sealer

Page: 5/5

Continued on Next Page