

MATERIAL SAFETY DATA SHEET

4-6010 Blanket Fix Gel

Revision Date: 5/1/02

Section I - Product Identification

Manufactured For: A.B. DICK COMPANY	Emergency Phone Number (24 Hours) CHEMTEC @ (800) 424-9300
Street Address 7400 CALDWELL AVENUE	MSDS Request Phone Number: 1-800-752-5139, Ext. 2745
City, State, Zip Code NILES, ILLINOIS 60714	For MSDS via Fax: 1-800-995-0088
Product Use: OFFSET PRINTING.	Date Prepared: July 11, 2001
	Prepared By Jill Knight from MSDS Supplied by Republic Graphics Arts Supply Co.

Manufactured by: Republic Graphics Arts Supply Co.
15208 Stagg Street
Van Nuys, CA 91405
Phone: 818-901-0316

HMIS RATING
1 - Health 1 - Flammability 0 - Reactivity 0 - Personal Protection

Section II - Hazardous Ingredients

Hazardous Components	CAS NO.	% WT.	Exposure Limits		
			OSHA PEL	ACGIH TLV	OTHER

THE COMPOSITION OF THIS PRODUCT IS LISTED UNDER REPUBLIC TRADE SECRET #4555

NO COMPONENT IS LISTED IN OSHA TABLE Z-1
NO COMPONENT EXCEEDS THE REPORTING LEVELS ESTABLISHED BY SARA TITLE III SECTION 313

Section III - Physical Data

Boiling POINT(F): 320	pH: N.D.
Vapor Pressure(mm Hg): 3mm @20 degrees c.	Freezing Point(F): N.D.
Vapor Density (AIR = 1): 4.20	VOC: N.D. % VOLATILE: N.D.
Specific Gravity (H2O=1): 1.1	Color/Odor: Colorless/Mild Aromatic Odor
Odor Threshold: N.D.	Physical State: GEL
Evaporation Rate (Butyl Acetate = 1): N.D.	
Solubility in water: SLIGHTLY SOLUBLE.	

Section IV - Fire and Explosion Hazard Data

FLASH POINT (METHOD USED): 145(F) T.C.C.	Flammable Limits:
	LEL: N.D. UEL: N.D.

Auto-ignition Temperature: N.D.

Extinguishing Media: WATER, CARBON DIOXIDE, FOAM

Special Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire And Explosion Hazards: NONE.

Section V - Reactivity Data

Stability Unstable :	Conditions to Avoid: NONE.
Stable : X	

Incompatibility (Materials to Avoid): N.D.

